

STATE: Bihar



DATED: 18/03/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (In any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Commi (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
1. Ambey ITC, At. Road No. 01 Awadhpuri, Pakari, West Chandawa more, Post. Arra Dist. Bhojpur Bihar DGET-6/4/2/2011-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-27/12/2010 w.e.f. Aug 2011
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
2. Chandra ITC, At. Chinnapur, Lalganj, Dist. Vaishali Bihar DGET-6/4/3/2011-TC (New Pvt.)	Electrician	4(2+2)	2(1+1)	2(1+1)	2(1+1)	SCIR-25/11/2010 w.e.f. Aug 2011
3. Aflaton ITC, At. Garthelli, Po. Katihar Dist. Katihar Bihar DGET-6/4/4/2011-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	*	SCIR-26/11/2010 * Bill no. 740, 217, 229 & 230 not clear S/D may send the bill copy. ** Cost of Electric machine trainer (Set of 04 motors) 2HP is very low (Rs 875/-) S/D may send the running condition of the same by the DGET trade expert.
4. Bijay ITC, At. Lodipur, P.O. Jahanabad, Dist. Jahanabad Bihar DGET-6/4/129/2010 TC	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-9/8/2010 SIR-2/2/2011 w.e.f. Aug 2011 *The vehicle R/C with RTU expired on 21.5.2010 S/D to clarify
	Fitter	4(2+2)	4(2+2)	4(2+2)	4(2+2)	
	Mech. Diesel	2(1+1)	2(1+1)	*	*	

प्रति श्री. गौरी प्रसाद मिश्र, निदेशक, एन सी ई आर, मोरवा
कक्षा, एन सी ई आर, मोरवा
मो. 982 152 213, मो. 982 152 214
(DGET & T) Mo Labour & Employment
Bihar, New Delhi

Dukesh Kumar

Principal
AMBEY PVT IT
Chandwa More, Arra